WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Thursday, October 20, 2005

Hide?	Set Name	Query	Hit Count
	DB=PGPB,U	JSPT,USOC,EPAB,JPAB,DWPI; THES=ASSIGNEE; PLUR	=YES; OP=ADJ
	L8	L7 and (mortierella or alpina)	36
	L7	L6 and 6 adj desaturase	96
	L6	L5 and (gene or dna or cdna or clon\$8)	1009
	L5	L4 or 13	1139
	L4	L2 and polyunsaturated fatty acids	1121
	L3	L2 and poly unsaturated fatty acids	70
	: L2	desaturase	3515
	L1	6 adj3 7 desaturase	1

END OF SEARCH HISTORY

Hit List

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: WO 200192489 A2, AU 200163473 A

Using default format because multiple data bases are involved.

L1: Entry 1 of 1

File: DWPI

Dec 6, 2001

DERWENT-ACC-NO: 2002-106306

DERWENT-WEEK: 200225

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: New FAT-5, FAT-6 and FAT-7 desaturase proteins from Caenorhabditis elegans,

for producing unsaturated of fatty acids useful in infant formula, dietary

supplements, and nutriceutical and pharmaceutical compositions

INVENTOR: BROWSE, J A; WATTS, J L

PRIORITY-DATA: 2000US-207699P (May 26, 2000)


PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 WO 200192489 A2
 December 6, 2001
 E
 057
 C12N009/00

 AU 200163473 A
 December 11, 2001
 000
 C12N009/00

INT-CL (IPC): C12 N 9/00



Display Format: - Change Format

Previous Page Next Page Go to Doc#

Hit List

First Hit Clear Cenerate Collection Print Fwd Refs Blood Refs Cenerate OACS

Search Results - Record(s) 1 through 30 of 36 returned.

☐ 1. Document ID: US 20050220901 A1

Using default format because multiple data bases are involved.

L8: Entry 1 of 36

File: PGPB

Oct 6, 2005

PGPUB-DOCUMENT-NUMBER: 20050220901

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050220901 A1

TITLE: Methods of pharmaceutical separation from plants

PUBLICATION-DATE: October 6, 2005

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Huttenbauer, Samuel JR.

Cincinnati

ОН

US

US-CL-CURRENT: 424/725

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawi De
				•				•		•		

☐ 2. Document ID: US 20050214761 A1

L8: Entry 2 of 36

File: PGPB

Sep 29, 2005

PGPUB-DOCUMENT-NUMBER: 20050214761

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050214761 A1

TITLE: Novel elongase gene and method for producing polyunsaturated fatty acids

PUBLICATION-DATE: September 29, 2005

INVENTOR - INFORMATION:

NAME CITY STATE COUNTRY

Lerchl, Jens Svalov SE Heinz, Ernst Hamburg DE

Zank, Thorsten Hamburg DE

US-CL-CURRENT: 435/6; 435/134, 435/193, 435/252.3, 435/471, 435/69.1, 536/23.2

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

☐ 3. Document ID: US 20050166271 A1

L8: Entry 3 of 36

File: PGPB

Jul 28, 2005

PGPUB-DOCUMENT-NUMBER: 20050166271

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050166271 A1

TITLE: Fatty acid <u>desaturase gene</u> obtained from pomegranate and method for the production of unsaturated fatty acids

PUBLICATION-DATE: July 28, 2005

INVENTOR-INFORMATION:

CITY NAME STATE COUNTRY Halle Feubner, Ivo DE Hornung, Ellen Quedlinburg DE Pernstich, Christian Halle DE Renz, Andreas Limburgerhof DE

US-CL-CURRENT: 800/8; 435/190, 435/320.1, 435/325, 435/419, 435/468, 435/6, 435/69.1, 536/23.2, 800/281

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawe De
			•									
	_	_										
	4. J	Docume	nt ID:	US 20	050132442	Al						
L8: E	ntry	4 of 3	36 ·			F	ile: P	GPB		Jun	16,	2005

PGPUB-DOCUMENT-NUMBER: 20050132442

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050132442 A1

TITLE: Delta 15 <u>desaturases</u> suitable for altering levels of <u>polyunsaturated fatty</u> <u>acids</u> in oleaginous plants and yeast

PUBLICATION-DATE: June 16, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY
Yadav, Narendra S. Chadds Ford PA US
Zhang, Hongxiang Chadds Ford PA US

US-CL-CURRENT: 800/281; 435/134, 435/190, 435/254.2, 435/419, 435/468, 435/483, 536/23.2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawt De
							•			-		

5. Document ID: US 20050132441 A1

L8: Entry 5 of 36

File: PGPB

Jun 16, 2005

PGPUB-DOCUMENT-NUMBER: 20050132441

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050132441 A1

TITLE: Delta15 <u>desaturases</u> suitable for altering levels of <u>polyunsaturated fatty</u> acids in oilseed plants and oleaginous yeast

actus in offseed planes and ofeaginous year

PUBLICATION-DATE: June 16, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Damude, Howard Glenn Hockessin DE US Yadav, Narendra S. Chadds Ford PA US

US-CL-CURRENT: 800/281; 435/468, 554/8

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawi De
			•									
		•			•		•					

☐ 6. Document ID: US 20050089865 A1

L8: Entry 6 of 36

File: PGPB Apr 28, 2005

PGPUB-DOCUMENT-NUMBER: 20050089865

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050089865 A1

TITLE: Delta 6 desaturases from primulaceae, expressing plants and pufa-containing

oils

PUBLICATION-DATE: April 28, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Napier, Johnathan A Bristol GB

Sayanova, Olga Hertfordshire GB

US-CL-CURRENT: 435/6; 435/190, 435/252.3, 435/320.1, 435/419, 435/69.1, 536/23.2, 800/281

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
	·····					····				- Marine - 1 majo 100000 - 100		

☐ 7. Document ID: US 20050005329 A1

L8: Entry 7 of 36 File: PGPB Jan 6, 2005

PGPUB-DOCUMENT-NUMBER: 20050005329

PGPUB-FILING-TYPE: new

Jan 6, 2005

DOCUMENT-IDENTIFIER: US 20050005329 A1

TITLE: Delta4-desaturase genes and uses thereof

PUBLICATION-DATE: January 6, 2005

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Mukerji, Pradip	Gahanna	OH	US
Thurmond, Jennifer	Columbus	OH	US
Huang, Yung-Sheng	Upper Arlington	OH	US
Das, Tapas	Worthington	OH	US
Leonard, Amanda Eun-Yeong	Gahanna	ОН	US
Pereira, Suzette L.	Westerville	OH	US

US-CL-CURRENT: 800/281; 426/601, 435/320.1, 435/419, 435/468, 530/370, 530/371, 536/23.6, 536/23.74, 800/278

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMIC	Draw, De
					•		•					

	8. I	Docume	nt ID:	US 20	050005328	A 1						
L8: I	Entry	8 of 3	6		•		File: P	GPB		Jan	6,	2005

PGPUB-DOCUMENT-NUMBER: 20050005328

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050005328 A1

TITLE: Delta4-desaturase genes and uses thereof

PUBLICATION-DATE: January 6, 2005

INVENTOR-INFORMATION:

L8: Entry 9 of 36

NAME	CITY	STATE	COUNTRY
Mukerji, Pradip	Gahanna	OH	US
Thurmond, Jennifer	Columbus	ОН	US
Huang, Yung-Sheng	Upper Arlington	OH	US
Das, Tapas	Worthington	ОН	US
Leonard, Amanda Eun-Yeong	Gahanna	OH	US
Pereira, Suzette L.	Westerville	OH	US

US-CL-CURRENT: 800/281; 435/190, 435/419, 435/468, 435/6, 435/69.1, 536/23.2

Full Tit	le Citation Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De
				·····		····			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
□ 9.	Document ID	: US 20	050003442	A1						

File: PGPB

PGPUB-DOCUMENT-NUMBER: 20050003442

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050003442 A1

TITLE: Delta4-desaturase genes and uses thereof

PUBLICATION-DATE: January 6, 2005

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Mukerji, Pradip	Gahanna	OH	US
Thurmond, Jennifer	Columbus	ОН	US
Huang, Yung-Sheng	Upper Arlington	OH	US
Das, Tapas	Worthington	ОН	US
Leonard, Amanda Eun-Yeong	Gahanna	ОН	US
Pereira, Suzette L.	Westerville	ОН	US

US-CL-CURRENT: 435/6; 435/190, 435/254.2, 435/483, 435/69.1, 514/560, 536/23.2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KOMC	Drawu	2
								•					
 													10000
	10.	Docum	ent ID): US 2	004017268	2 A1				-			
L8: E	Entry	10 of	36		•		File:	PGPB		Sep	2,	2004	

PGPUB-DOCUMENT-NUMBER: 20040172682

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040172682 A1

TITLE: Production of very long chain polyunsaturated fatty acids in oilseed plants

PUBLICATION-DATE: September 2, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Kinney, Anthony J.	Wilmington	DE	US
Cahoon, Edgar Benjamin	Webster Groves	MO	US
Damude, Howard Glenn	Hockessin	DE	US
Hitz, William D.	Wilmington	DE	US
Liu, Zhan-Bin	West Chester	PA	US
Kolar, Charles W. JR.	St. Louis	DE	US

US-CL-CURRENT: 800/281

Full Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWAC	C Draw
										········	
□ 11.	Docume	ent ID:	US 2	004015805	2 A 1						
L8 - Entry	11 of 1	26				File. D	CDD		7,,,~	10	2004

COUNTRY

PGPUB-DOCUMENT-NUMBER: 20040158052

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040158052 A1

TITLE: Annexin and P34 promoters and use in expression of transgenic genes in

plants

PUBLICATION-DATE: August 12, 2004

INVENTOR-INFORMATION:

STATE NAME CITY

Kinney, Anthony J. Wilmington DE US West Chester Liu, Zhan-Bin PA US

US-CL-CURRENT: <u>536/23.6</u>; <u>800/281</u>, <u>800/287</u>, <u>800/312</u>

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
		•										

☐ 12. Document ID: US 20040078845 A1

L8: Entry 12 of 36

File: PGPB Apr 22, 2004

PGPUB-DOCUMENT-NUMBER: 20040078845

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040078845 A1 '

TITLE: Production of gamma linolenic acid by a delta 6-desaturase

PUBLICATION-DATE: April 22, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Thomas, Terry L. College Station TX

US-CL-CURRENT: 800/281; 435/190, 435/320.1, 435/419, 435/69.1, 536/23.2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
						-						

☐ 13. Document ID: US 20030196217 A1

L8: Entry 13 of 36 File: PGPB Oct 16, 2003

PGPUB-DOCUMENT-NUMBER: 20030196217

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030196217 A1

TITLE: Desaturase genes, enzymes encoded thereby, and uses thereof

PUBLICATION-DATE: October 16, 2003

INVENTOR - INFORMATION:

NAME	CITY	STATE	COUNTRY
Mukerji, Pradip	Gahanna	OH	US
Pereira, Suzette L.	Westerville	ОН	US
Huang, Yung-Sheng	Upper Arlington	OH	us

US-CL-CURRENT: 800/281; 435/134, 435/190, 435/320.1, 435/419, 435/69.1, 536/23.2, 554/9

Full Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWiC	Drave D
			•			·	•	٠			
-											
□ 14.	Docum	ent ID	: US 2	003019073	3 A1						
L8: Entry	14 of	36				File:	PGPB		Oct	9,	2003

PGPUB-DOCUMENT-NUMBER: 20030190733

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030190733 A1

TITLE: Desaturase genes and uses thereof

PUBLICATION-DATE: October 9, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Mukerji, Pradip	Gahanna	OH	US
Huang, Yung-Sheng	Columbus	ОН	US
Das, Tapas	Worthington	ОН	US
Thurmond, Jennifer	Columbus	ОН	US
Pereira, Suzette L.	Westerville	ОН	US

US-CL-CURRENT: 435/190; 435/134, 435/254.2, 435/320.1, 435/69.1, 536/23.2

Fu	ll Tit	le Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw De
***************************************						 	::::::::::::::::::::::::::::::::::::::				.,	
	□ 15	. Docur	nent ID	: US 2	003016752	5 A1						
· L8:	Ent	ry 15 of	36				File:	PGPB		Sep	4,	2003

PGPUB-DOCUMENT-NUMBER: 20030167525

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030167525 A1

TITLE: Desaturase genes and uses thereof

PUBLICATION-DATE: September 4, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY
Mukerji, Pradip Gahanna OH US
Huang, Yung-Sheng Upper Arlington OH US

Das, Tapas	,	Worthington	OH	US
Thurmond, Jennifer		Columbus	ОН	US
Leonard, Amanda Eun-Yeong		Columbus	ОН	US
Pereira, Suzette L.		Westerville	OH	US

US-CL-CURRENT: 800/281; 435/190, 435/320.1, 435/419, 435/69.1, 536/23.2

Full Title	Citation Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw De	
				•	•						
	*		•								
				·····							
□ 16.	Document II	D: US 2	003015714	4 A1							
L8: Entry	16 of 36	•			File: P	GPB		Aug	21,	2003	

PGPUB-DOCUMENT-NUMBER: 20030157144

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030157144 A1

TITLE: Desaturase genes and uses thereof

PUBLICATION-DATE: August 21, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Mukerji, Pradip	Gahanna	ОН	US
Huang, Yung-Sheng	Columbus	ОН	US
Das, Tapas	Worthington	ОН	US
Thurmond, Jennifer	Columbus	ОН	US
Pereira, Suzette L.	Westerville	ОН	US

US-CL-CURRENT: $\underline{424/439}$; $\underline{435/134}$, $\underline{435/190}$, $\underline{435/320.1}$, $\underline{435/325}$, $\underline{435/419}$, $\underline{435/69.1}$, $\underline{536/23.2}$, $\underline{554/9}$, $\underline{800/17}$, $\underline{800/281}$

·
Jul 17, 2003

PGPUB-DOCUMENT-NUMBER: 20030134400

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030134400 A1

TITLE: Delta4-desaturase genes and uses thereof

PUBLICATION-DATE: July 17, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY Mukerji, Pradip Gahanna OH US Thurmond, Jennifer Columbus OH US

Huang, Yung-Sheng	Upper Arlington	ОH	US
Das, Tapas	Worthington	ОН	US
Leonard, Amanda Eun-Yeong	Gahanna	ОН	US
Pereira, Suzette L.	Westerville	ОН	US

US-CL-CURRENT: $\frac{435}{134}$; $\frac{435}{190}$, $\frac{435}{254.2}$, $\frac{435}{320.1}$, $\frac{435}{419}$, $\frac{435}{69.1}$, $\frac{536}{23.2}$

Full	Title	Citation Fron	it Review	Classification	Date Reference	Sequences	Attachments	Claims	KOMC	Draw, De	
	18.	Document 1	ID: US 2	003010459	6 A1						
то.	Enter	18 of 36			File:	DCDD		Turn	_	2003	

PGPUB-DOCUMENT-NUMBER: 20030104596

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030104596 A1

TITLE: human desaturase gene and uses thereof

PUBLICATION-DATE: June 5, 2003

INVENTOR - INFORMATION:

NAME	CITY	STATE	COUNTRY
Mukerji, Pradip	Gahanna	OH .	US
Leonard, Amanda Eun-Yeong	Gahanna	OH .	US -
Huang, Yung-Sheng	Columbus	OH	US
Das, Tapas	Worthington	OH	US

US-CL-CURRENT: 435/190; 435/134, 435/320.1, 435/325, 435/69.1, 536/23.2

FUII	little	Citation	Front	Review	Classification	Date	Referenc	e Sequences	Attachments	Claims	KUNU	Drawii De
												•
 ***************************************	The second second				// /				· · · · · · · · · · · · · · · · · · ·			
	19.	Docum	ent ID	: US 2	002013887	4 A1						
L8:	Entry	19 of	36	•			File:	PGPB		Sep	26,	2002

PGPUB-DOCUMENT-NUMBER: 20020138874

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020138874 A1

TITLE: Elongase genes and uses thereof

PUBLICATION-DATE: September 26, 2002

INVENTOR-INFORMATION:

NAME	CITY .	STATE	COUNTRY
Mukerji, Pradip	Gahanna	ОН	US
Leonard, Amanda Eun-Yeong	Gahanna	OH	US
Huang, Yung-Sheng	Upper Arlington	OH	US

Pereira, Suzette L.

Westerville

OH

US

US-CL-CURRENT: 800/281; 435/193, 435/320.1, 435/410, 435/69.1, 536/23.2

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

☐ 20. Document ID: US 20020110582 A1

L8: Entry 20 of 36

File: PGPB

Aug 15, 2002

PGPUB-DOCUMENT-NUMBER: 20020110582

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020110582 A1

TITLE: Use of arachidonic acid for enhanced culturing of fish larvae and broodstock

PUBLICATION-DATE: August 15, 2002

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Place, Allen R.

Baltimore

MD

US

Harel, Moti

Baltimore

MD

US

US-CL-CURRENT: <u>424/442</u>; <u>514/560</u>

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw Di

☐ 21. Document ID: US 20020108147 A1

L8: Entry 21 of 36

File: PGPB

Aug 8, 2002

PGPUB-DOCUMENT-NUMBER: 20020108147

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020108147 A1

TITLE: Production of gamma linolenic acid by a delta6-desaturase

PUBLICATION-DATE: August 8, 2002

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Thomas, Terry L.

College Station

TX

US

US-CL-CURRENT: 800/281; 536/23.6, 800/278, 800/287

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

☐ 22. Document ID: US 20020104124 A1

Record List Display

L8: Entry 22 of 36

File: PGPB

Aug 1, 2002

PGPUB-DOCUMENT-NUMBER: 20020104124

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020104124 A1

TITLE: Method of modifying the content of cottonseed oil

PUBLICATION-DATE: August 1, 2002

INVENTOR-INFORMATION:

NAME CITY

STATE COUNTRY

Green, Allan

Braddon Downer AU

Singh, Surinder Liu, Qing

Latham

AU AU

US-CL-CURRENT: 800/281; 435/190, 536/23.2, 800/314

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWAC	Draw De

☐ 23. Document ID: US 20010023259 A1

L8: Entry 23 of 36

File: PGPB

Sep 20, 2001

PGPUB-DOCUMENT-NUMBER: 20010023259

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20010023259 A1

TITLE: Conjugated fatty acids and related compounds

PUBLICATION-DATE: September 20, 2001

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Slabas, Antoni Ryszard High Shincliff GB Simon, Josiah William High Shincliff GB Christie, William Walker Dundee GB

US-CL-CURRENT: 514/560; 514/552, 554/230

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

☐ 24. Document ID: US 6858416 B2

L8: Entry 24 of 36

File: USPT

Feb 22, 2005

US-PAT-NO: 6858416

DOCUMENT-IDENTIFIER: US 6858416 B2

TITLE: Human desaturase gene and uses thereof

Page 12 of 17

Record List Display

DATE-ISSUED: February 22, 2005

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Mukerji; Pradip Gahanna OH
Leonard; Amanda Eun-Yeong Gahanna OH
Huang; Yung-Sheng Columbus OH
Das; Tapas Worthington OH

US-CL-CURRENT: $\underline{435/189}$; $\underline{435/136}$, $\underline{435/252.3}$, $\underline{435/320.1}$, $\underline{530/350}$, $\underline{536/23.2}$

ABSTRACT:

The subject invention relates to the identification of a <u>gene</u> involved in the desaturation of <u>polyunsaturated fatty acids</u> at carbon 5 (i.e., "human .DELTA.5-desaturase") and to uses thereof. In particular, human .DELTA.5-desaturase may be utilized, for example, in the conversion of dihomo-.gamma.-linolenic acid (DGLA) to arachidonic acid (AA) and in the conversion of 20:4n-3 to eicosapentaenoic acid (EPA). AA or <u>polyunsaturated fatty acids</u> produced therefrom may be added to pharmaceutical compositions, nutritional compositions, animal feeds, as well as other products such as cosmetics.

4 Claims, 43 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 39

Full . Title	Citation	Front	Review	Classification	Date	Reference	Sequences, Attournerts	Claims	KMC	Draw, De
						•				

☐ 25. Document ID: US 6683232 B1

L8: Entry 25 of 36 File: USPT Jan 27, 2004

US-PAT-NO: 6683232

DOCUMENT-IDENTIFIER: US 6683232 B1

TITLE: Production of .gamma. linolenic acid by a .DELTA.6-desaturase

DATE-ISSUED: January 27, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Thomas; Terry L. College Station TX

US-CL-CURRENT: 800/281; 435/468, 435/471, 435/69.1, 435/71.1, 800/298

ABSTRACT:

Linoleic acid is converted into .gamma.-linolenic acid by the enzyme .DELTA.6desaturase. The present invention is directed to isolated nucleic acids comprising the .DELTA.6-desaturase gene. More particularly, the isolated nucleic acid comprises the promoter, coding region and termination regions of the .DELTA.6desaturase gene. The present invention provides recombinant constructions Record List Display Page 13 of 17

comprising the .DELTA.6-desaturase coding region in functional combination with heterologous regulatory sequences. The nucleic acids and recombinant constructions of the instant invention are useful in the production of GLA in transgenic organisms.

10 Claims, 32 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 27

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWAC	Draw. D
	•									-		
							***************************************		-			
		_										
	26.	Docum	ent ID	: US 6	635451 B2				•			

File: USPT

Oct 21, 2003

US-PAT-NO: 6635451

L8: Entry 26 of 36

DOCUMENT-IDENTIFIER: US 6635451 B2

TITLE: Desaturase genes and uses thereof

DATE-ISSUED: October 21, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Mukerji; Pradip	Gahanna	OH		
Huang; Yung-Sheng	Columbus	OH		
Das; Tapas	Worthington	OH		
Thurmond; Jennifer	Columbus	OH		
Pereira; Suzette L.	Westerville	ОН		

US-CL-CURRENT: 435/71.1; 424/93.21, 424/93.7, 435/189, 435/320.1, 536/23.1, 536/23.2

ABSTRACT: .

The subject invention relates to the identification of <u>genes</u> involved in the desaturation of <u>polyunsaturated fatty acids</u> at carbon 5 (i.e., ".DELTA.5-desaturase") and at carbon 6 (i.e., ".DELTA.6-desaturase") and to uses thereof. In particular, .DELTA.5-desaturase may be utilized, for example, in the conversion of dihomo-gamma.-linolenic acid (DGLA) to arachidonic acid (AA) and in the conversion of 20:4n-3 to eicosapentaenoic acid (EPA). Delta-6 desaturase may be used, for example, in the conversion of linoleic (LA) to gamma.-linolenic acid (GLA). AA or polyunsaturated fatty acids produced therefrom may be added to pharmaceutical compositions, nutritional compositions, animal feeds, as well as other products such as cosmetics.

22 Claims, 7 Drawing figures Exemplary Claim Number: 16 Number of Drawing Sheets: 7 ☐ 27. Document ID: US 6432684 B1

L8: Entry 27 of 36

File: USPT

Aug 13, 2002

US-PAT-NO: 6432684

DOCUMENT-IDENTIFIER: US 6432684 B1

TITLE: Human desaturase gene and uses thereof

DATE-ISSUED: August 13, 2002

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY Mukerji; Pradip Gahanna OH Leonard; Amanda Eun-Yeong Gahanna OH Huang; Yung-Sheng Columbus OH Das; Tapas Worthington OH

US-CL-CURRENT: 435/136; 435/189, 435/252.3, 435/320.1, 530/350, 536/23.2

ABSTRACT:

The subject invention relates to the identification of a <u>gene</u> involved in the desaturation of <u>polyunsaturated fatty acids</u> at carbon 5 (i.e., "human .DELTA.5-desaturase") and to uses thereof. In particular, human .DELTA.5-desaturase may be utilized, for example, in the conversion of dihomo-.gamma.-linolenic acid (DGLA) to arachidonic acid (AA) and in the conversion of 20:4n-3 to eicosapentaenoic acid (EPA). AA or <u>polyunsaturated fatty acids</u> produced therefrom may be added to pharmaceutical compositions, nutritional compositions, animal feeds, as well as other products such as cosmetics.

17 Claims, 43 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 39

Full	Title	Citation	Front	Review	Classification	Date	Reference	See lines	Altachmenta	Claims	KWIC	Drawi De
4.50										***************************************		

☐ 28. Document ID: US 6428990 B1

L8: Entry 28 of 36

File: USPT

Aug 6, 2002

US-PAT-NO: 6428990

DOCUMENT-IDENTIFIER: US 6428990 B1

TITLE: Human <u>desaturase gene</u> and uses thereof

DATE-ISSUED: August 6, 2002

INVENTOR - INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Mukerji; Pradip Gahanna OH
Leonard; Amanda Eun-Yeong Gahanna OH
Huang; Yung-Sheng Columbus OH
Parker-Barnes; Jennifer M. New Albany OH

 $\text{US-CL-CURRENT: } \underline{435}/\underline{134}; \ \underline{435}/\underline{135}, \ \underline{435}/\underline{136}, \ \underline{435}/\underline{189}, \ \underline{435}/\underline{252.3}, \ \underline{435}/\underline{320.1}, \ \underline{530}/\underline{350},$

536/23.2

ABSTRACT:

The subject invention relates to the identification of a <u>gene</u> involved in the desaturation of <u>polyunsaturated fatty acids</u> at carbon 5 (i.e., "human .DELTA.5-desaturase") and to uses thereof. In particular, human .DELTA.5-desaturase may be utilized, for example, in the conversion of dihomo-.gamma.-linolenic acid (DGLA) to arachidonic acid (AA) and in the conversion of 20:4n-3 to eicosapentaenoic acid (EPA). AA or <u>polyunsaturated fatty acids</u> produced therefrom may be added to pharmaceutical compositions, nutritional compositions, animal feeds, as well as other products such as cosmetics.

6 Claims, 48 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 48

Full Title	Citation Front	Review Classification	Date	Reference	Sacuations.	Adechiner is	Claims	KWIC	Draw, De
							•		
				······································		······································	w-w		
□ 29.	Document ID:	: US 6410288 B1							
L8: Entry	29 of 36]	File: U	SPT		Jun	25,	2002

US-PAT-NO: 6410288

DOCUMENT-IDENTIFIER: US 6410288 B1

TITLE: Methods and compositions for synthesis of long chain poly-unsaturated fatty acids

DATE-ISSUED: June 25, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Knutzon; Deborah	Granite Bay	CA			
Mukerji; Pradip	Gahanna	OH		•	
Huang; Yung-Sheng	Upper Arlington	OH			
Thurmond; Jennifer	Columbus ·	OH			
Chaudhary; Sunita	Westerville	OH			

US-CL-CURRENT: 435/189; 536/23.2

ABSTRACT:

The present invention relates to fatty acid <u>desaturases</u> able to catalyze the conversion of oleic acid to linoleic acid, linoleic acid to gamma-linolenic acid, or of alpha-linolenic acid to stearidonic acid. Nucleic acid sequences encoding

desaturases, nucleic acid sequences which hybridize thereto, DNA constructs comprising a desaturase gene, and recombinant host microorganism or animal expressing increased levels of a desaturase are described. Methods for desaturating a fatty acid and for producing a desaturated fatty acid by expressing increased levels of a desaturase are disclosed. Fatty acids, and oils containing them, which have been desaturated by a desaturase produced by recombinant host microorganisms or animals are provided. Pharmaceutical compositions, infant formulas or dietary supplements containing fatty acids which have been desaturated by a desaturase produced by a recombinant host microorganism or animal also are described.

20 Claims, 19 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 16

Full	Title	Citation	Front	Review	Classification	Date	Reference	Search cos	eltacherents	Claims KWC	Draw, De
									•		

☐ 30. Document ID: US 6355861 B1

L8: Entry 30 of 36

File: USPT

Mar 12, 2002

US-PAT-NO: 6355861

DOCUMENT-IDENTIFIER: US 6355861 B1

TITLE: Production of gamma linolenic acid by a .DELTA.6-desaturase

DATE-ISSUED: March 12, 2002

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Thomas; Terry L. College Station TX

US-CL-CURRENT: 800/281; 435/252.3, 435/325, 435/410, 435/440, 435/468, 435/471, 536/23.2, 800/298

ABSTRACT:

Linoleic acid is converted into .gamma.-linolenic acid by the enzyme .DELTA.6-desaturase. The present invention is directed to isolated nucleic acids comprising the .DELTA.6-desaturase gene. More particularly, the isolated nucleic acid comprises the promoter, coding region and termination regions of the .DELTA.6-desaturase gene. The present invention provides recombinant constructions comprising the .DELTA.6-desaturase coding region in functional combination with heterologous regulatory sequences. The nucleic acids and recombinant constructions of the instant invention are useful in the production of GLA in transgenic organisms.

40 Claims, 32 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 27

Full Title Citation Front Review Classification Date Reference Secrionus Approximatos Claims KMC Draw Do

Hit List

First Hit Clear Generate Collection Print Fwd Refs Blowd Refs
Generate OACS

Search Results - Record(s) 31 through 36 of 36 returned.

☐ 31. Document ID: US 6136574 A

Using default format because multiple data bases are involved.

L8: Entry 31 of 36

File: USPT

Oct 24, 2000

US-PAT-NO: 6136574

DOCUMENT-IDENTIFIER: US 6136574 A

** See image for Certificate of Correction **

TITLE: Methods and compositions for synthesis of long chain polyunsaturated fatty

<u>acids</u>

DATE-ISSUED: October 24, 2000

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Knutzon; Deborah Granite Bay CA Mukerji; Pradip Gahanna OH Huang; Yung-Sheng Upper Arlington OH Thurmond; Jennifer Columbus OH

Chaudhary; Sunita Pearland TX

US-CL-CURRENT: 435/134; 435/136

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw Do

☐ 32. Document ID: US 5968809 A

L8: Entry 32 of 36

File: USPT

Oct 19, 1999

US-PAT-NO: 5968809

DOCUMENT-IDENTIFIER: US 5968809 A

** See image for Certificate of Correction **

TITLE: Methods and compositions for synthesis of long chain poly-unsaturated fatty

<u>acids</u>

DATE-ISSUED: October 19, 1999

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Knutzon; Deborah Granite Bay CA

Mukerji; Pradip Gahanna OH
Huang; Yung-Sheng Upper Arlington OH
Thurmond; Jennifer Columbus OH
Chaudhary; Sunita Westerville OH

US-CL-CURRENT: 435/254.2; 435/189, 435/254.21, 435/320.1, 435/325, 435/410, 536/23.1, 536/23.2, 536/23.7, 536/23.74, 536/24.32

ABSTRACT:

The present invention relates to fatty acid <u>desaturases</u> able to catalyze the conversion of oleic acid to linoleic acid, linoleic acid to gamma-linolenic acid, or of alpha-linolenic acid to stearidonic acid. Nucleic acid sequences encoding <u>desaturases</u>, nucleic acid sequences which hybridize thereto, <u>DNA</u> constructs comprising a <u>desaturase gene</u>, and recombinant host microorganism or animal expressing increased levels of a <u>desaturase</u> are described. Methods for desaturating a fatty acid and for producing a desaturated fatty acid by expressing increased levels of a <u>desaturase</u> are disclosed. Fatty acids, and oils containing them, which have been desaturated by a <u>desaturase</u> produced by recombinant host microorganisms or animals are provided. Pharmaceutical compositions, infant formulas or dietary supplements containing fatty acids which have been desaturated by a <u>desaturase</u> produced by a recombinant host microorganism or animal also are described.

30 Claims, 18 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 16

·

☐ 33. Document ID: US 5789220 A

L8: Entry 33 of 36

File: USPT

Aug 4, 1998

US-PAT-NO: 5789220

DOCUMENT-IDENTIFIER: US 5789220 A

** See image for Certificate of Correction **

TITLE: Production of .gamma.-linolenic acid by a .DELTA.6-desaturase

DATE-ISSUED: August 4, 1998

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Thomas; Terry L. College Station TX
Reddy; Avutu S. Bryan TX
Nuccio; Michael College Station TX
Nunberg; Andrew N. Bryan TX

Freyssinet; Georges L. Saint Cyr au mont d'or FR

US-CL-CURRENT: 435/189; 435/183, 435/219, 435/69.1, 530/350, 536/23.2

ABSTRACT:

Linoleic acid is converted into .gamma.-linolenic acid by the enzyme .DELTA.6-desaturase. The present invention is directed to isolated nucleic acids comprising the .DELTA.6-desaturase gene. More particularly, the isolated nucleic acid comprises the promoter, coding region and termination regions of the .DELTA.6-desaturase gene. The present invention provides recombinant constructions comprising the .DELTA.6-desaturase coding region in functional combination with heterologous regulatory sequences. The nucleic acids and recombinant constructions of the instant invention are useful in the production of GLA in transgenic organisms.

1 Claims, 15 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 8

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Artechnicous	Claims	KWIC	Draw, De
										•		

☐ 34. Document ID: US 5614393 A

L8: Entry 34 of 36

File: USPT

Mar 25, 1997

US-PAT-NO: 5614393

DOCUMENT-IDENTIFIER: US 5614393 A

** See image for Certificate of Correction **

TITLE: Production of .gamma.-linolenic acid by a .DELTA.6-desaturase

DATE-ISSUED: March 25, 1997

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY Thomas; Terry L. College Station ТX Reddy; Avutu S. Bryan TXNuccio: Michael College Station тx Nunberg; Andrew N. TX Bryan Freyssinet; Georges L. Saint Cyr au mont d'or

US-CL-CURRENT: 435/134; 435/189, 435/243, 435/252.3, 435/254.11, 435/320.1, 435/325, 435/411, 435/412, 435/414, 435/415, 435/416, 435/419, 435/69.1, 435/70.1, 435/71.1, 536/23.2, 536/23.6, 536/24.1, 800/281, 800/298, 800/306, 800/312, 800/317.3, 800/320.1, 800/322

ABSTRACT:

Linoleic acid is converted into .gamma.-linolenic acid by the enzyme .DELTA.6-desaturase. The present invention is directed to isolated nucleic acids comprising the .DELTA.6-desaturase gene. More particularly, the isolated nucleic acid comprises the promoter, coding region and termination regions of the .DELTA.6-desaturase gene. The present invention provides recombinant constructions comprising the .DELTA.6-desaturase coding region in functional combination with heterologous regulatory sequences. The nucleic acids and recombinant constructions of the instant invention are useful in the production of GLA in transgenic organisms.

44 Claims, 15 Drawing figures Exemplary Claim Number: 1 Number of Drawing Sheets: 8

Full Title Citation Front Review Classification Date Reference Sequences Affectivents Claims KMC Draw De

35. Document ID: WO 2004101753 A2, US 20040253621 A1

L8: Entry 35 of 36

File: DWPI

Nov 25, 2004

DERWENT-ACC-NO: 2005-021124

DERWENT-WEEK: 200504

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: New nucleic acid molecules encoding fatty acid desaturases and elongases,

useful for producing polyunsaturated fatty acids

INVENTOR: PICATAGGIO, S K; ZHU, Q Q

PRIORITY-DATA: 2003US-468718P (May 7, 2003), 2003US-468677P (May 7, 2003), 2004US-

0840478 (May 6, 2004)

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 WO 2004101753 A2
 November 25, 2004
 E
 107
 C12N000/00

 US 20040253621 A1
 December 16, 2004
 000
 C12Q001/68

INT-CL (IPC): C07 H 21/04; C12 N 0/00; C12 N 1/18; C12 N 9/10; C12 N 15/74; C12 P

7/64; C12 Q 1/68

ABSTRACTED-PUB-NO: WO2004101753A

BASIC-ABSTRACT:

NOVELTY - A nucleic acid molecules encoding fatty acid Delta 6 and Delta 17 desaturases and elongases that are codon-optimized for expression in Yarrowia, is new.

DETAILED DESCRIPTION - An isolated nucleic acid molecule (I) chosen from an isolated nucleic acid molecule (N1) having a fully defined Mortierella alpina derived sequence (S1) of 1374 base pairs as given in the specification which encodes a Delta 6 desaturase enzyme having a fully defined M. alpina AF465281 derived sequence (S2) of 457 amino acids as given in the specification, where at least 144 codons are codon-optimized for expression in Yarrowia, or an isolated nucleic acid molecule that is completely complementary to (N1); an isolated nucleic acid molecule (II) chosen from an isolated nucleic acid molecule (N2) having a fully defined Saprolegnia diclina derived sequence (S3) of 1077 base pairs as given in the specification which encodes a Delta 17 desaturase enzyme having a fully defined S. diclina ATCC 56851 derived sequence (S4) of 358 amino acids as given in the specification, where at least 117 codons are codon-optimized for expression in Yarrowia or an isolated nucleic acid molecule that is completely complementary to (N1); or an isolated nucleic acid molecule (III) chosen from an isolated nucleic acid molecule (N3) having a fully defined M. alpina derived sequence (S5) of 957 base pairs as given in the specification which encodes an elongase enzyme having a fully defined M. alpina AX464731 derived sequence (S6) of 318 amino acids as given

in the specification, where at least 85 codons are codon-optimized for expression in Yarrowia or an isolated nucleic acid molecule that is completely complementary to (N3).

INDEPENDENT CLAIMS are also included for the following:

- (1) a chimeric $\underline{\text{gene}}$ (IV) comprising (I), (II) or (III) operably linked to suitable regulator sequences;
- (2) a transformed Yarrowia sp. (V) comprising (IV);
- (3) optimizing (M1) a gene for expression in an oleaginous yeast involves obtaining the sequences of nucleotide coding regions and corresponding polypeptides for the oleaginous yeast species to form a database of codons, analyzing the database of codons to determine which codons preferentially encode each amino acid, obtaining the sequence of a gene to be expressed in an oleaginous yeast species, replacing non-preferred codons in the sequence with those preferred codons of where the gene is codon-optimized for expression in an oleaginous yeast species;
- (4) an isolated nucleic acid molecule (VI) comprising a Yarrowia sp. translation initiation site of Met-Ala-Met-Met-Ala-Thr-Gly-Asn-His-Ser; and
- (5) a microbial oil produced using (I)-(III).
- USE (I) is useful for producing gamma -linolenic acid, which involves providing (V) comprising (I) encoding a Delta <u>6 desaturase</u> polypeptide under the control of suitable regulatory sequences, and a source of <u>desaturase</u> substrate consisting of linoleic acid, growing (V) in the presence of a suitable fermentable carbon source, where (I) is expressed and the linoleic acid is converted to gamma -linolenic acid, and optionally recovering the produced gamma -linolenic acid.
- (I) is useful for producing stearidonic acid, which involves providing (V) comprising (I) and a source of <u>desaturase</u> substrate consisting of alpha -linoleic acid, growing (V) in the presence of a suitable fermentable carbon source, where (I) is expressed and the alpha -linoleic acid is converted to stearidonic acid, and optionally recovering the produced stearidonic acid.
- (II) is useful for producing eicosatetraenoic acid, which involves providing (V) comprising (II) and a source of <u>desaturase</u> substrate consisting of dihomo- gamma linoleic acid, growing (V) in the presence of a suitable fermentable carbon source, where (II) is expressed and the dihomo- gamma -linoleic acid is converted to eicosatetraenoic acid, and optionally recovering the eicosatetraenoic acid.
- (II) is useful for producing eicosapentaenoic acid, which involves providing (V) comprising (II) and a source of <u>desaturase</u> substrate consisting of arachidonic acid, growing (V) in the presence of a suitable fermentable carbon source, where (II) is expressed and the arachidonic acid is converted to eicosapentaenoic acid, and optionally recovering the eicosapentaenoic acid. (III) is useful for producing dihomo- gamma -linoleic acid, which involves providing (V) comprising (III) and a source of <u>desaturase</u> substrate consisting of dihomo- gamma -linoleic acid, growing (V) in the presence of a suitable fermentable carbon source, where (III) is expressed and the gamma -linoleic acid is converted to dihomo- gamma -linoleic acid, and optionally recovering the dihomo- gamma -linoleic acid.
- (III) is useful for producing eicosatetraenoic acid, which involves providing (V) comprising (III) and a source of <u>desaturase</u> substrate consisting of stearidonic acid, growing (V) in the presence of a suitable fermentable carbon source, where (III) is expressed and the stearidonic acid is converted to eicosatetraenoic acid, and optionally recovering the eicosatetraenoic acid.

(III) is useful for producing docosapentaenoic acid, which involves providing (V) comprising (III) and a source of <u>desaturase</u> substrate consisting of docosapentaenoic acid, growing (V) in the presence of a suitable fermentable carbon source, where (III) is expressed and the eicosapentaenoic acid is converted to docosapentaenoic acid, and optionally recovering the docosapentaenoic acid.

In the above methods, the source of elongase substrate is endogenous to the Yarrowia sp.. (VII) is useful for optimizing the expression of a <u>gene</u> in a Yarrowia host, which involves providing a foreign <u>gene</u> to be expressed in Yarrowia, operably linking the <u>gene</u> with (VII), where the foreign <u>gene</u> is optimized for expression in Yarrowia. The foreign gene encodes an enzyme chosen from (E1) (all claimed).

DESCRIPTION OF DRAWING(S) - The figure shows the omega -3 and omega -6 fatty acid biosynthetic pathways.

74 Decument ID: MV 212221 D WO 0046762 A1 AII 0060616 A IIC 5060000 A NO
☐ 36. Document ID: MX 212281 B, WO 9846763 A1, AU 9869616 A, US 5968809 A, NO
9904925 A, EP 975766 A1, EP 996732 A1, CZ 9903583 A3, BR 9808507 A, CN 1252099 A, SK
9901398 A3, CN 1253588 A, NZ 337457 A, NZ 337459 A, HU 200001236 A2, US 6136574 A,
AU 726807 B, MX 9909328 A1, MX 9909329 A1, KR 2001006257 A, KR 2001006258 A, JP
2001523091 W, US 6410288 B1

Full Title Citation Front Review Classification Date Reference Faculations Aliachtholias Claims KMC Draw De

L8: Entry 36 of 36

File: DWPI

Dec 18, 2002

DERWENT-ACC-NO: 1998-594582

DERWENT-WEEK: 200413

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE: New isolated fatty acid <u>desaturase</u> enzymes - used for the production of <u>polyunsaturated fatty acids</u> for use in, e.g. pharmaceutical compositions, nutritional compositions, cosmetics or animal feed

INVENTOR: CHAUDHARY, S; HUANG, Y ; KNUTZON, D ; LEONARD, A E ; MUKERJI, P ; THURMOND, J

PRIORITY-DATA: 1997US-0834655 (April 11, 1997), 1997US-0833610 (April 11, 1997), 1997US-0834033 (April 11, 1997), 1997US-0956985 (October 24, 1997), 1999US-0363574 (July 29, 1999), 1998WO-US07421 (April 10, 1998), 1999US-0363526 (July 29, 1999)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
MX 212281 B	December 18, 2002		000	A23L001/30
WO 9846763 A1	October 22, 1998	E	165	C12N015/53
AU 9869616 A	November 11, 1998		000.	
US 5968809 A	October 19, 1999		000	C12N001/16
NO 9904925 A	November 30, 1999		000	C12N000/00
EP 975766 A1	February 2, 2000	E .	000	
EP 996732 A1	May 3, 2000	E	000	·
CZ 9903583 A3	May 17, 2000		000	
BR 9808507 A	May 23, 2000		000	C12N015/53
CN 1252099 A	May 3, 2000		000	·
SK 9901398 A3	May 16, 2000		000	

CN 1253588 A	May 17, 2000	000	
NZ 337457 A	July 28, 2000	000	A61K031/20
NZ 337459 A	July 28, 2000	000	A61K031/20
HU 200001236 A2	July 28, 2000	000	•
US 6136574 A	October 24, 2000	000	C12P007/64
AU 726807 B	November 23, 2000	. 000	
MX 9909328 A1	September 1, 2000	000	C12N015/53
MX 9909329 A1	September 1, 2000	. 000	C12N015/53
KR 2001006257 A	January 26, 2001	000	C12N015/53
KR 2001006258 A	January 26, 2001	000	C12N015/82
JP 2001523091 W	November 20, 2001	174	C12N015/09
US 6410288 B1	June 25, 2002	000	C12N009/02

726807 B INT-CL (IPC): A23 K 1/00; A23 K 1/16; A23 L 1/28; A23 L 1/30; A61 K 7/00; A61 K 31/20; A61 K 31/202; A61 K 31/232; A61 K 38/00; A61 P 17/00; C07 H 21/04; C11 B 1/00; C12 N 0/00; C12 N 1/16; C12 N 1/19; C12 N 5/10; C12 N 9/02; C12 N 15/09; C12 N 15/53; C12 N 15/81; C12 N 15/82; C12 P 7/64

ABSTRACTED-PUB-NO: US 5968809A BASIC-ABSTRACT:

An isolated nucleic acid having a 1617 or 1488 base pair sequence ((S1) and (S2) encoding a polypeptide of 457 or 399 amino acids ((S3) and (S4)) respectively, is new. Also claimed: (1) an isolated nucleic acid comprising a nucleotide sequence (NS) which encodes a polypeptide which desaturates a fatty acid molecule at carbon 6 or 12 from the carboxyl end of the polypeptide, where the NS has an average A/T content of < 60%; (2) a nucleic acid comprising a fungal NS which is identical to a sequence of at least 50 nucleotides in (S1) or (S2) or is complementary to this sequence; (3) an isolated nucleic acid having a NS with at least 50% homology to (S1) or (S2); (4) a nucleic acid construct comprising a NS having (S1) or (S2) operably associated with an expression control sequence functional in a microbial cell; (5) a nucleic acid construct comprising a NS having an A/T content of < 60% encoding a functionally active Delta 6-desaturase having an amino acid sequence which corresponds to or is complementary to all of or a portion of an amino acid sequence (S2), or (S4) where the NS is operably associated with a transcription control sequence functional in a yeast cell; (6) a recombinant yeast cell comprising a nucleic acid construct as in (5); (7) a recombinant yeast cell comprising at least 1 copy of a vector comprising a fungal NS which encodes a polypeptide which converts 18:2 fatty acids to 18:3 fatty acids or 18:3 fatty acids to 18:4 fatty acids, where the yeast cell or an ancestor of the yeast cell was transformed with the vector to produce the recombinant yeast cell, and where the NS is operably associated with an expression control sequence functional in the recombinant yeast cell; (8) an isolated or purified polypeptide which desaturates a fatty acid molecule at carbon 12 or carbon 6 or from the carboxyl end of the polypeptide, where the polypeptide is a fungal polypeptide or is derived from a fungal polypeptide; (9) an isolated nucleic acid encoding a polypeptide as in (8); (10) a host cell comprising a vector which includes a nucleic acid which encodes a fatty acid desaturase derived from Mortierella alpina, where the desaturase has an amino acid sequence (S3), and where the NS is operably linked to a promoter; (11) a recombinant yeast cell comprising at least 1 nucleic acid construct comprising a NS which encodes a functionally active Delta 6 desaturase having an amino acid sequence which corresponds to or is complementary to all or a portion of an amino acid sequence (S3), and at least 1 nucleic acid construct comprising a NS which encodes a functionally active Delta 12 <u>desaturase</u> having an amino acid sequence which corresponds to or is complementary to all or a portion of an amino acid sequence (S4), where the nucleic acid constructs are operably associated with

transcription control sequences functional in a yeast cell, and (12) a method for obtaining altered long chain polyunsaturated fatty acid (PUFA) biosynthesis comprising growing a plant having cells which contain at least 1 transgene, derived from a fungus or algae, which encode a transgene expression product which desaturates a fatty acid molecule at a carbon selected from carbon 6 and carbon 12 from the carboxyl end of the fatty acid molecule, where the at least 1 transgene is operably associated with an expression control sequence, where the at least 1 transgene is pressed, and long chain PUFA biosynthesis in the cells is altered; (13) an isolated peptide sequence selected from 11 amino acid sequences (all sequences are given in the specification).

USE - The products and methods can be used for desaturating fatty acids. The PUFA biosynthesis method can be used for obtaining microbial oils which can be used for treating or preventing malnutrition, in pharmaceutical compositions, in a nutritional formula, as a dietary supplement, in cosmetics or in animal feed (claimed). In particular, PUFAs can be used for treating e.g. restenosis after angioplasty, inflammation, rheumatoid arthritis, asthma, psoriasis, cancer, diabetes or eczema or reduce blood pressure. They can also be used to inhibit platelet aggregation, cause vasodilation, lower cholesterol levels, inhibit proliferation of vessel wall smooth muscle and fibrous tissue, reduce or prevent gastro-intestinal bleeding and other side effects caused by non-steroidal antiinflammatory drugs, prevent or treat endometriosis and premenstrual syndrome, treat myalgic encephalomyelitis and chronic fatigue after viral infections, treat AIDS, multiple sclerosis, acute respiratory syndrome, hypertension and inflammatory skin disorders. The recombinant eukaryotic cells, e.g. yeast cells or their ancestors transformed with a vector comprising fungal DNA encoding a polypeptide which converts ALA to stearidonic acid (SA) or oleic acid to linoleic acid (LA), or LA to gamma -linolenic acid (GLA), may be used for production of SA, LA, or GLA in a eukaryotic cell culture (claimed). ABSTRACTED-PUB-NO:

US 6136574A EQUIVALENT-ABSTRACTS:

An isolated nucleic acid having a 1617 or 1488 base pair sequence ((S1) and (S2) encoding a polypeptide of 457 or 399 amino acids ((S3) and (S4)) respectively, is new. Also claimed: (1) an isolated nucleic acid comprising a nucleotide sequence (NS) which encodes a polypeptide which desaturates a fatty acid molecule at carbon 6 or 12 from the carboxyl end of the polypeptide, where the NS has an average A/T content of < 60%; (2) a nucleic acid comprising a fungal NS which is identical to a sequence of at least 50 nucleotides in (S1) or (S2) or is complementary to this sequence; (3) an isolated nucleic acid having a NS with at least 50% homology to (S1) or (S2); (4) a nucleic acid construct comprising a NS having (S1) or (S2) operably associated with an expression control sequence functional in a microbial cell; (5) a nucleic acid construct comprising a NS having an A/T content of < 60% encoding a functionally active Delta 6-desaturase having an amino acid sequence which corresponds to or is complementary to all of or a portion of an amino acid sequence (S2), or (S4) where the NS is operably associated with a transcription control sequence functional in a yeast cell; (6) a recombinant yeast cell comprising a nucleic acid construct as in (5); (7) a recombinant yeast cell comprising at least 1 copy of a vector comprising a fungal NS which encodes a polypeptide which converts 18:2 fatty acids to 18:3 fatty acids or 18:3 fatty acids to 18:4 fatty acids, where the yeast cell or an ancestor of the yeast cell was transformed with the vector to produce the recombinant yeast cell, and where the NS is operably associated with an expression control sequence functional in the recombinant yeast cell; (8) an isolated or purified polypeptide which desaturates a fatty acid molecule at carbon 12 or carbon 6 or from the carboxyl end of the polypeptide, where the polypeptide is a fungal polypeptide or is derived from a fungal polypeptide; (9) an isolated nucleic acid encoding a polypeptide as in (8); (10) a host cell comprising a vector which includes a nucleic acid which encodes a fatty acid desaturase derived from Mortierella alpina, where the desaturase has an

amino acid sequence (S3), and where the NS is operably linked to a promoter; (11) a recombinant yeast cell comprising at least 1 nucleic acid construct comprising a NS which encodes a functionally active Delta 6 desaturase having an amino acid sequence which corresponds to or is complementary to all or a portion of an amino acid sequence (S3), and at least 1 nucleic acid construct comprising a NS which encodes a functionally active Delta 12 desaturase having an amino acid sequence which corresponds to or is complementary to all or a portion of an amino acid sequence (S4), where the nucleic acid constructs are operably associated with transcription control sequences functional in a yeast cell, and (12) a method for obtaining altered long chain polyunsaturated fatty acid (PUFA) biosynthesis comprising growing a plant having cells which contain at least 1 transgene, derived from a fungus or algae, which encode a transgene expression product which desaturates a fatty acid molecule at a carbon selected from carbon 6 and carbon 12 from the carboxyl end of the fatty acid molecule, where the at least 1 transgene is operably associated with an expression control sequence, where the at least 1 transgene is pressed, and long chain PUFA biosynthesis in the cells is altered; (13) an isolated peptide sequence selected from 11 amino acid sequences (all sequences are given in the specification).

USE - The products and methods can be used for desaturating fatty acids. The PUFA biosynthesis method can be used for obtaining microbial oils which can be used for treating or preventing malnutrition, in pharmaceutical compositions, in a nutritional formula, as a dietary supplement, in cosmetics or in animal feed (claimed). In particular, PUFAs can be used for treating e.g. restenosis after angioplasty, inflammation, rheumatoid arthritis, asthma, psoriasis, cancer, diabetes or eczema or reduce blood pressure. They can also be used to inhibit platelet aggregation, cause vasodilation, lower cholesterol levels, inhibit proliferation of vessel wall smooth muscle and fibrous tissue, reduce or prevent gastro-intestinal bleeding and other side effects caused by non-steroidal antiinflammatory drugs, prevent or treat endometriosis and premenstrual syndrome, treat myalgic encephalomyelitis and chronic fatigue after viral infections, treat AIDS, multiple sclerosis, acute respiratory syndrome, hypertension and inflammatory skin disorders. The recombinant eukaryotic cells, e.g. yeast cells or their ancestors transformed with a vector comprising fungal DNA encoding a polypeptide which converts ALA to stearidonic acid (SA) or oleic acid to linoleic acid (LA), or LA to gamma -linolenic acid (GLA), may be used for production of SA, LA, or GLA in a eukaryotic cell culture (claimed).

An isolated nucleic acid having a 1617 or 1488 base pair sequence ((S1) and (S2) encoding a polypeptide of 457 or 399 amino acids ((S3) and (S4)) respectively, is new. Also claimed: (1) an isolated nucleic acid comprising a nucleotide sequence (NS) which encodes a polypeptide which desaturates a fatty acid molecule at carbon 6 or 12 from the carboxyl end of the polypeptide, where the NS has an average A/T content of < 60%; (2) a nucleic acid comprising a fungal NS which is identical to a sequence of at least 50 nucleotides in (S1) or (S2) or is complementary to this sequence; (3) an isolated nucleic acid having a NS with at least 50% homology to (S1) or (S2); (4) a nucleic acid construct comprising a NS having (S1) or (S2) operably associated with an expression control sequence functional in a microbial cell; (5) a nucleic acid construct comprising a NS having an A/T content of < 60% encoding a functionally active Delta 6-desaturase having an amino acid sequence which corresponds to or is complementary to all of or a portion of an amino acid sequence (S2), or (S4) where the NS is operably associated with a transcription control sequence functional in a yeast cell; (6) a recombinant yeast cell comprising a nucleic acid construct as in (5); (7) a recombinant yeast cell comprising at least 1 copy of a vector comprising a fungal NS which encodes a polypeptide which converts 18:2 fatty acids to 18:3 fatty acids or 18:3 fatty acids to 18:4 fatty acids, where the yeast cell or an ancestor of the yeast cell was transformed with the vector to produce the recombinant yeast cell, and where the NS is operably associated with an expression control sequence functional in the recombinant yeast cell; (8) an isolated or purified polypeptide which desaturates a

fatty acid molecule at carbon 12 or carbon 6 or from the carboxyl end of the polypeptide, where the polypeptide is a fungal polypeptide or is derived from a fungal polypeptide; (9) an isolated nucleic acid encoding a polypeptide as in (8); (10) a host cell comprising a vector which includes a nucleic acid which encodes a fatty acid desaturase derived from Mortierella alpina, where the desaturase has an amino acid sequence (S3), and where the NS is operably linked to a promoter; (11) a recombinant yeast cell comprising at least 1 nucleic acid construct comprising a NS which encodes a functionally active Delta 6 desaturase having an amino acid sequence which corresponds to or is complementary to all or a portion of an amino acid sequence (S3), and at least 1 nucleic acid construct comprising a NS which encodes a functionally active Delta 12 desaturase having an amino acid sequence which corresponds to or is complementary to all or a portion of an amino acid sequence (S4), where the nucleic acid constructs are operably associated with transcription control sequences functional in a yeast cell, and (12) a method for obtaining altered long chain polyunsaturated fatty acid (PUFA) biosynthesis comprising growing a plant having cells which contain at least 1 transgene, derived from a fungus or algae, which encode a transgene expression product which desaturates a fatty acid molecule at a carbon selected from carbon 6 and carbon 12 from the carboxyl end of the fatty acid molecule, where the at least 1 transgene is operably associated with an expression control sequence, where the at least 1 transgene is pressed, and long chain PUFA biosynthesis in the cells is altered; (13) an isolated peptide sequence selected from 11 amino acid sequences (all sequences are given in the specification).

USE - The products and methods can be used for desaturating fatty acids. The PUFA biosynthesis method can be used for obtaining microbial oils which can be used for treating or preventing malnutrition, in pharmaceutical compositions, in a nutritional formula, as a dietary supplement, in cosmetics or in animal feed (claimed). In particular, PUFAs can be used for treating e.g. restenosis after angioplasty, inflammation, rheumatoid arthritis, asthma, psoriasis, cancer, diabetes or eczema or reduce blood pressure. They can also be used to inhibit platelet aggregation, cause vasodilation, lower cholesterol levels, inhibit proliferation of vessel wall smooth muscle and fibrous tissue, reduce or prevent gastro-intestinal bleeding and other side effects caused by non-steroidal antiinflammatory drugs, prevent or treat endometriosis and premenstrual syndrome, treat myalgic encephalomyelitis and chronic fatigue after viral infections, treat AIDS, multiple sclerosis, acute respiratory syndrome, hypertension and inflammatory skin disorders. The recombinant eukaryotic cells, e.g. yeast cells or their ancestors transformed with a vector comprising fungal DNA encoding a polypeptide which converts ALA to stearidonic acid (SA) or oleic acid to linoleic acid (LA), or LA to gamma -linolenic acid (GLA), may be used for production of SA, LA, or GLA in a eukaryotic cell culture (claimed).

US 6410288B

An isolated nucleic acid having a 1617 or 1488 base pair sequence ((S1) and (S2) encoding a polypeptide of 457 or 399 amino acids ((S3) and (S4)) respectively, is new. Also claimed: (1) an isolated nucleic acid comprising a nucleotide sequence (NS) which encodes a polypeptide which desaturates a fatty acid molecule at carbon 6 or 12 from the carboxyl end of the polypeptide, where the NS has an average A/T content of < 60%; (2) a nucleic acid comprising a fungal NS which is identical to a sequence of at least 50 nucleotides in (S1) or (S2) or is complementary to this sequence; (3) an isolated nucleic acid having a NS with at least 50% homology to (S1) or (S2); (4) a nucleic acid construct comprising a NS having (S1) or (S2) operably associated with an expression control sequence functional in a microbial cell; (5) a nucleic acid construct comprising a NS having an A/T content of < 60% encoding a functionally active Delta 6-desaturase having an amino acid sequence which corresponds to or is complementary to all of or a portion of an amino acid sequence (S2), or (S4) where the NS is operably associated with a transcription control sequence functional in a yeast cell; (6) a recombinant yeast cell

comprising a nucleic acid construct as in (5); (7) a recombinant yeast cell comprising at least 1 copy of a vector comprising a fungal NS which encodes a polypeptide which converts 18:2 fatty acids to 18:3 fatty acids or 18:3 fatty acids to 18:4 fatty acids, where the yeast cell or an ancestor of the yeast cell was transformed with the vector to produce the recombinant yeast cell, and where the NS is operably associated with an expression control sequence functional in the recombinant yeast cell; (8) an isolated or purified polypeptide which desaturates a fatty acid molecule at carbon 12 or carbon 6 or from the carboxyl end of the polypeptide, where the polypeptide is a fungal polypeptide or is derived from a fungal polypeptide; (9) an isolated nucleic acid encoding a polypeptide as in (8); (10) a host cell comprising a vector which includes a nucleic acid which encodes a fatty acid <u>desaturase</u> derived from <u>Mortierella alpina</u>, where the <u>desaturase</u> has an amino acid sequence (S3), and where the NS is operably linked to a promoter; (11) a recombinant yeast cell comprising at least 1 nucleic acid construct comprising a NS which encodes a functionally active Delta 6 desaturase having an amino acid sequence which corresponds to or is complementary to all or a portion of an amino acid sequence (S3), and at least 1 nucleic acid construct comprising a NS which encodes a functionally active Delta 12 desaturase having an amino acid sequence which corresponds to or is complementary to all or a portion of an amino acid sequence (S4), where the nucleic acid constructs are operably associated with transcription control sequences functional in a yeast cell, and (12) a method for obtaining altered long chain polyunsaturated fatty acid (PUFA) biosynthesis comprising growing a plant having cells which contain at least 1 transgene, derived from a fungus or algae, which encode a transgene expression product which desaturates a fatty acid molecule at a carbon selected from carbon 6 and carbon 12 from the carboxyl end of the fatty acid molecule, where the at least 1 transgene is operably associated with an expression control sequence, where the at least 1 transgene is pressed, and long chain PUFA biosynthesis in the cells is altered; (13) an isolated peptide sequence selected from 11 amino acid sequences (all sequences are given in the specification).

USE - The products and methods can be used for desaturating fatty acids. The PUFA biosynthesis method can be used for obtaining microbial oils which can be used for treating or preventing malnutrition, in pharmaceutical compositions, in a nutritional formula, as a dietary supplement, in cosmetics or in animal feed (claimed). In particular, PUFAs can be used for treating e.g. restenosis after angioplasty, inflammation, rheumatoid arthritis, asthma, psoriasis, cancer, diabetes or eczema or reduce blood pressure. They can also be used to inhibit platelet aggregation, cause vasodilation, lower cholesterol levels, inhibit proliferation of vessel wall smooth muscle and fibrous tissue, reduce or prevent gastro-intestinal bleeding and other side effects caused by non-steroidal antiinflammatory drugs, prevent or treat endometriosis and premenstrual syndrome, treat myalgic encephalomyelitis and chronic fatigue after viral infections, treat AIDS, multiple sclerosis, acute respiratory syndrome, hypertension and inflammatory skin disorders. The recombinant eukaryotic cells, e.g. yeast cells or their ancestors transformed with a vector comprising fungal DNA encoding a polypeptide which converts ALA to stearidonic acid (SA) or oleic acid to linoleic acid (LA), or LA to gamma -linolenic acid (GLA), may be used for production of SA, LA, or GLA in a eukaryotic cell culture (claimed).

WO 9846763A

